



DISTRICT
METALS CORP.

Corporate Presentation

VIKEN URANIUM-VANADIUM ALUM SHALE PROPERTY

TOMTEBO POLYMETALLIC VMS / SEDEX PROPERTY

October 2025

TSX-V: DMX OTCQB: DMXCF FRA: DFPP NASDAQ: DMXSE SDB

Cautionary Statement Regarding Forward Looking Information



This document has been prepared by District Metals Corp. ("District" or the "Company") solely for the use in connection with the recipient's evaluation of the Company. This document is a presentation of information about the Company's activities as the date of the presentation and should be read in conjunction with all other disclosure documents of the Company. The information in this presentation is not intended to modify, qualify, supplement or amend information disclosed under corporate and securities legislation of any jurisdiction applicable to the Company. It is information in a summary form and does not purport to be complete and does not constitute an offer to sell or the solicitation of an offer to buy any security. It is not intended to be relied upon as advice to investors or potential investors and does not take into account the investment objectives, financial situation or needs of any particular investor. These should be considered, with or without professional advice, when deciding if an investment is appropriate. The information contained in this presentation is derived from estimates made by the Company, information that has been provided to the Company by other parties and otherwise publicly available information concerning the business and affairs of the Company and does not purport to be all-inclusive or to contain all the information that an investor may desire to have in evaluating whether or not to make an investment in the Company. In particular, information derived from third party sources has not been independently verified and is subject to material updating, revision and further amendment. No representation or warranty, express or implied, is made or given by or on behalf of the Company or any of its affiliates, or any of the directors, officers or employees of any such entities as to the accuracy, completeness or fairness of the information or opinions contained in this presentation and no responsibility or liability is accepted by any person for such information or opinions. In furnishing this presentation, the Company does not undertake or agree to any obligation to provide the recipients with access to any additional information or to update this presentation or to correct any inaccuracies in, or omissions from, this presentation that may become apparent. No person has been authorized to give any information or make any representations other than those contained in this presentation and, if given and/or made, such information or representations must not be relied upon as having been so authorized. The information and opinions contained in this presentation are provided as at the date of this presentation. The contents of this presentation are not to be construed as legal, financial or tax advice. Each prospective investor should contact his, her or its own legal adviser, independent financial adviser or tax adviser for legal, financial or tax advice. No securities commission or regulatory authority has reviewed the accuracy or adequacy of the information presented. This presentation is for informational purposes only and does not constitute an offer or a solicitation of an offer to purchase the securities referred to herein.

Certain information set forth in this presentation contains "forward-looking statements" and "forward-looking information" within the meaning of applicable securities law (referred to herein as forward-looking statements). Except for statements of historical fact, certain information contained herein constitutes forward-looking statements which includes, but is not limited to, statements with respect to: the future financial or operating performance of the Company and the Company's mineral properties; the Swedish Government's lifting of its moratorium on uranium exploration and mining in Sweden; the benefits and timing of the Nasdaq First North Growth Market listing; the Company's Swedish polymetallic properties; the Company's planned exploration activities, including its drill target strategy and next steps for the Swedish properties; and the Company's interpretations and expectations about the results on the Swedish properties. Forward-looking statements are often identified by the use of words such as "may", "will", "could", "would", "anticipate", "believe", "expect", "intend", "potential", "estimate", "budget", "scheduled", "plans", "planned", "forecasts", "goals" and similar expressions.

Forward-looking statements are based on a number of factors and assumptions made by management and considered reasonable at the time such statement was made. Assumptions and factors include, but are not limited to: assumptions about the reliability of historical data and the accuracy of publicly reported information regarding past and historic mines in the Bergslagen district; and in respect of the Swedish properties; that the Swedish government will eventually lift or amend its moratorium on uranium mining in Sweden; the Company's ability to raise sufficient capital to fund planned exploration activities, maintain corporate capacity; the absence of adverse conditions at the Company's mineral properties; no unforeseen operational delays; no material delays in obtaining necessary permits; and stability in financial and capital markets.

Forward-looking statements necessarily involve known and unknown risks and uncertainties, which may cause actual performance and financial results in future periods to differ materially from any projections of future performance or result expressed or implied by such forward-looking statements. These risks and uncertainties include, but are not limited to: general business, economic and competitive uncertainties; the actual results of current and future exploration activities; the reliability of historic data on District's mineral properties; the Company's ability to raise sufficient capital to finance planned exploration; that the Swedish government maintains its moratorium on uranium mining in Sweden for the foreseeable

future; the Company's limited operating history; the Company's negative operating cash flow and dependence on third-party financing; the uncertainty of additional funding; the uncertainties associated with early stage exploration activities including general economic, market and business conditions, the regulatory process, failure to obtain necessary permits and approvals, technical issues, potential delays, unexpected events and management's capacity to execute and implement its future plans; the Company's ability to identify any mineral resources and mineral reserves; the substantial expenditures required to establish mineral reserves through drilling and the estimation of mineral reserves or mineral resources; the uncertainty of estimates used to calculate mineralization figures; changes in governmental regulations; compliance with applicable laws and regulations; competition for future resource acquisitions and skilled industry personnel; reliance on key personnel; title matters; conflicts of interest; environmental laws and regulations and associated risks, including climate change legislation; land reclamation requirements; changes in government policies; volatility of the Company's share price; the unlikelihood that shareholders will receive dividends from the Company; potential future acquisitions; joint venture-related risks; infrastructure risks; fluctuations in demand for, and prices of metals; fluctuations in foreign currency exchange rates; legal proceedings and the enforceability of judgments; going concern risk; risks related to the Company's information technology systems and cyber-security risks; risk related to the outbreak of epidemics or pandemics or other health crises; and other factors beyond the Company's control and as well as those factors included herein and elsewhere in the Company's public disclosure. Although the Company has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in the forward-looking statements, there may be other factors that cause actions, events or results not to be as anticipated, estimated or intended. Readers are advised to study and consider risk factors disclosed in the Company's disclosure record available under the Company's profile at www.sedarplus.ca.

There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. The Company undertakes no obligation to update forward-looking statements if circumstances or management's estimates or opinions should change except as required by applicable securities laws. The forward-looking statements contained herein are presented for the purposes of assisting investors in understanding the Company's plan, objectives and goals and may not be appropriate for other purposes. Forward-looking statements are not guarantees of future performance and the readers are cautioned not to place undue reliance on forward-looking statements. This presentation also contains or references certain market, industry and peer group data which is based upon information from independent industry publications, market research, analyst reports and surveys and other publicly available sources. Although the Company believes these sources to be generally reliable, such information is subject to interpretation and cannot be verified with complete certainty due to limits on the availability and reliability of raw data, the voluntary nature of the data gathering process and other inherent limitations and uncertainties. The Company has not independently verified any of the data from third party sources referred to in this presentation and accordingly, the accuracy and completeness of such data is not guaranteed.

All scientific and technical information contained in this presentation has been prepared by, or reviewed and approved by Garrett Ainsworth, PGeo, President and CEO of the Company. Mr. Ainsworth is a qualified person for the purposes of National Instrument 43-101 – Standards of Disclosure for Mineral Projects ("NI 43-101").

Some data disclosed in this presentation is related to historical results. District has not undertaken any independent investigation of the sampling nor has it independently analyzed the results of the historical exploration work in order to verify the results. District considers these historical results relevant as the Company is using this data as a guide to plan exploration programs. The Company's current and future exploration work includes verification of the historical data through drilling.

Mr. Ainsworth has not verified any of the information regarding any of the properties or projects referred to herein other than District's properties. Mineralization on any other properties referred to herein is not necessarily indicative of mineralization on District's properties.

All references to "\$" in this presentation are to Canadian dollars unless otherwise stated.

District Metals: Sweden's Energy Metals Company



Management and Board have a track record of **success from mineral discoveries through to production.**



100% ownership of the Viken Deposit, **the largest undeveloped uranium deposit in the world**¹. Portfolio of four more uranium exploration properties (Sågtjärn, Nianfors, Ardnasvarre, Alum Shale Properties) in Sweden.



Focused within prolific mineral districts in Sweden, a **geopolitically stable and established pro-mining** jurisdiction.



Base metal exploration in the Bergslagen on the Tomtebo and Gruvberget polymetallic properties; recent drilling returned high-grade intercepts including 30.0 m at 7.0% Zn, 1.9% Pb, 25 g/t Ag, 0.2% Cu, 0.4 g/t Au².


1. See District's news release dated April 29, 2025: <https://www.districtmetals.com/news/2025/district-announces-inferred-mineral-resource-estimate-of-43-billion-tonnes-at-a-grade-of-161-ppm-u3o8-containing-15-billion-pounds-u3o8-for-the-viken-energy-metals-deposit-in-sweden>
2. See District's news release dated July 29, 2024: <https://districtmetals.com/news/2024/district-intersects-292-m-at-74-zneq-or-29-cueq-on-the-tomtebo-property>



Management, Board, and Advisors




Management



Garrett Ainsworth
**President & CEO,
Non-Independent Director**
Alpha Minerals, NexGen Energy



Marlis Yassin
CFO & Corporate Secretary
Deloitte




Hein Raat
VP Exploration
Boliden



Rodney Allen
Technical Consultant
Boliden


Board



Joanna Cameron
Independent Director
NexGen Energy, Osler LLP



Doug Ramshaw
Independent Director
Great Bear, Minera Alamos



Jonathan Challis
Independent Director
Goldfields S.A., Barclays Bank, Ivanhoe Capital

Technical & Strategic Advisory




Galen McNamara
Technical Advisor
NexGen Energy, Silver47 Exploration



Rob Chang
Strategic Advisor
Cantor Fitzgerald, Ur-Energy



Sophia Shane
Strategic Advisor
Lundin Group, Luca Mining



Rita Bennett
Strategic Advisor
Great Bear, Discovery Group

Share Structure

September 30, 2025



Basic Shares Issued **166,685,893**

Stock Options **13,195,000**

(Exercise price at \$0.17-\$0.69)

RSUs 925,000
DSUs 675,000


Warrants **9,837,500**

Expiry date	Exercise price	Warrants outstanding and exercisable
March 2, 2026	\$ 0.20	2,492,500
February 1, 2027	\$ 0.30	7,345,000

Compensation Options **25,706**

(Exercise price at \$0.15)

Fully Diluted Shares Outstanding **191,344,099**



Sweden - A Top Mining Jurisdiction

Deep-rooted history of metals **mining, production, and manufacturing**, with strong support from government and communities.

- Mining activities date back **2400 years¹**.
- **Europe's leading mining nation**, accounts for:
 - 93% of the continent's iron ore
 - 11% of the copper
 - 24-39% of its lead, zinc, silver and gold^{2,3}.
- **12 active metal mines⁴**.
- **Boliden** (significant polymetallic producers), **BHP, Agnico Eagle, LKAB**, and **Mandalay Resources** - all active in Sweden.
- Low corporate income tax rate (22%)
- Highly supportive **government agencies**, and broad **public support** for export-led resource extraction.
- **Northvolt Battery Factory** and **H2 Green Steel Manufacturers** in Northern Sweden.

1. <https://www.boliden.com/operations/mines/boliden-garpenberg/>

2. <https://www.sgu.se/globalassets/produkter/publikationer/2024/statistics-of-the-swedish-mining-industry-2023---sgu-2024-1.pdf>

3. <https://www.sgu.se/globalassets/produkter/publikationer/2023/statistics-of-the-swedish-mining-industry-2022.pdf>

4. <https://www.sgu.se/globalassets/produkter/publikationer/2024/statistics-of-the-swedish-mining-industry-2023---sgu-2024-1.pdf>





Uranium Polymetallic Properties

Sweden Has Shifted to Pro-Nuclear


Energy security has become an absolute **priority for Sweden** & other countries in Europe.

- **Sweden's new government has indicated strong support for nuclear power:** New center-right coalition government formed October 2022, included a shift towards supporting and expanding nuclear power.
- **A moratorium on uranium mining** and exploration imposed in 2018. Swedish Government has positive stance on re-evaluating & **lifting the moratorium**.
- Currently **six operating nuclear reactors** in Sweden, supply about **29% of the country's electricity**¹.
- Several mining districts in Sweden host **significant uranium deposits**, which includes the Company's Viken Energy Metals Deposit.
- Swedish Government has called for **possible restart of Ringhals units 1 and 2**, as well as to prepare for the **construction of new reactors**.

¹. <https://pris.iaea.org/pris/CountryStatistics/CountryDetails.aspx?current=SE>




History and Path to Proposed Lifting of Uranium Moratorium



Viken Property - Central Sweden

District has consolidated **100% ownership** of the Viken Energy Metals Deposit

- Located in Jämtland County about 570 km NW of Stockholm, with excellent infrastructure including daily air service, rail and truck freight, and grid power.
- Geological Survey of Sweden carried out work on the Viken Alum Shales from 1978 to 1979 that included drilling 19 holes.
- Continental Precious Minerals drilled 133 holes from 2006 to 2008; completed a mineral resource estimate and PEA in 2010, which was further updated in 2014.
- District completed an updated mineral resource estimate in 2025.
- Despite the current moratorium on uranium, mining of the Viken Deposit is still possible under the current Swedish Minerals Act, however recovery of uranium in a mining scenario will not be permitted until the moratorium is lifted.
- Aura Energy's Häggån Deposit located adjacent to the West of Viken.



2025 Viken Deposit Historical Mineral Resource Estimates ⁽¹⁻⁸⁾



Indicated	Tonnes (Million)	U ₃ O ₈ Ppm	V ₂ O ₅ Ppm	Mo Ppm	Ni Ppm	Cu Ppm	Zn Ppm	P ₂ O ₅ Ppm	Ce ₂ O ₃ Ppm	Y ₂ O ₃ Ppm	La ₂ O ₃ Ppm	K ₂ O Ppm
	456	175	2,836	257	330	113	411	2,461	88	492	7	3.84
	Pounds (Million)							Tonnes (Million)				
	Contained Metal	176	2,851	258	332	114	413	1.12	0.04	0.22	0.00	17.53

Inferred	Tonnes (Million)	U ₃ O ₈ Ppm	V ₂ O ₅ Ppm	Mo Ppm	Ni Ppm	Cu Ppm	Zn Ppm	P ₂ O ₅ Ppm	Ce ₂ O ₃ Ppm	Y ₂ O ₃ Ppm	La ₂ O ₃ Ppm	K ₂ O Ppm
	4,333	161	2,543	240	321	118	417	2,541	88	528	7	3.70
	Pounds (Million)							Tonnes (Million)				
	Contained Metal	1,538	24,295	2,293	3,067	1,127	3,984	11.01	0.38	2.29	0.03	160.27

Note:

(1) Mineral resources which are not mineral reserves do not have demonstrated economic viability. The estimate of mineral resources may be materially affected by environmental, permitting, legal, title, taxation, socio-political, marketing, or other relevant issues.

(2) The Inferred Mineral Resource in this MRE has a lower level of confidence than that applied to an Indicated Mineral Resource and must not be converted to a mineral reserve. It is reasonably expected that the majority of the Inferred Mineral Resource could be upgraded to an Indicated Mineral Resource with continued exploration.

(3) The mineral resources in this MRE were estimated using the Canadian Institute of Mining, Metallurgy and Petroleum (CIM), CIM Standards on Mineral Resources and Reserves, Definitions (2014) and Best Practices Guidelines (2019) prepared by the CIM Standing Committee on Reserve Definitions and adopted by the CIM Council.

(4) The MRE was based on consensus economics forecast US\$ metal prices of \$72/lb U₃O₈, \$5/lb V₂O₅, \$17/lb Mo, \$8.50/lb Ni, \$4.25/lb Cu and \$1.30/lb Zn with process respective recoveries of 80%, 80%, 70%, 70%, 50% and 75%, respectively.

(5) Overburden, waste and mineralized US\$ mining costs per tonne mined were respectively \$2.00, \$2.50 and \$3.00.

(6) Processing and G&A US\$ costs per tonne processed were respectively \$20 and \$2.

(7) Constraining pit shell slopes were 45 degrees.


(8) Eugene Puritch, P.Eng, FEC, CET, President of P&E Mining Consultants Inc., is a qualified person as defined in NI 43-101, and is responsible for reporting mineral resources for the Viken Deposit. Mr. Puritch is independent of the Company. Additional P&E independent Qualified Persons contributing to the MRE are William Stone, PhD, P.Geo. Fred Brown, P.Geo., David Burga, P.Geo., Jarita Barry, P.Geo. and D. Grant Feasby, P.Eng.

Viken Property – MobileMT Results

MobileMT Results at the Viken Property show strong potential for multiples of existing mineral resources

- Airborne MobileMT Survey flown at 200 m line spacing over the entire Viken Property in May-June 2025.
- MobileMT results show a low resistivity (high conductivity) response signature for the Viken Deposit associated with the graphitic Alum Shale host rock.
- Nine target areas (A to I) identified outside of the Viken Deposit.
- Three (A to C) of the nine target areas exhibit conductive responses that are larger and stronger than the signature seen at the Viken Deposit itself.

Target Areas and MMT Resistivity Model at -100m




Sågtjärn Uranium Property

- Contains the **Sågtjärn Uranium Deposit** and numerous other uranium occurrences.
- The Sågtjärn Deposit has an historical inferred mineral resource estimate of **756,000 tonnes grading 0.068% U_3O_8 containing 1,137,585 lbs of U_3O_8** using a 200 ppm uranium cut off.
- The **Sågtjärn Deposit** remains **open in all directions**, and contains the following drill result highlights^{1,2}:
 - Hole SGT-77-007**
intersected **8.7 m at 0.13% U_3O_8** from 60.3 to 69.0 m.
 - Hole SGT-77-011**
intersected **7.0 m at 0.18% U_3O_8** from 86.0 to 93.0 m.
 - Hole SGT-79-011**
intersected **5.2 m at 0.13% U_3O_8** from 132.6 to 137.8 m.
 - Hole SGT-80-001**
intersected **4.6 m at 0.13% U_3O_8** from 146.5 to 151.1 m.
- The Sågtjärn Property has never seen systematic modern exploration.

Refer to the resources notes for each estimate on slide 25. The mineral resource estimate contained on this slide is considered to be a "historical estimate" under NI 43-101 and a qualified person has not done sufficient work to classify the historical estimate as a current mineral resource and District is not treating the historical estimate as a current mineral resource.

1. The drill results can be found in the Geological Survey of Sweden (SGU) database: <https://www.sgu.se/en/products/geological-data/>. Drill results have been converted from U to U_3O_8 ($U_3O_8 = U \times 1.1792$).

2. The Company is not treating the Sågtjärn Deposit as a mineral project material to the Company. District has not undertaken any independent investigation of the drill results nor has it independently analyzed the drill results in order to verify the results. District considers these drill results relevant as the Company is using this data as a guide to plan exploration programs. The Company's current and future exploration work includes verification of the historical data through drilling.




Nianfors Uranium Property



- Contains the **Majsaberget uranium-yttrium-molybdenum occurrence** that consists of **889 mineralized boulders** over an approximate **area of 500 m by 200 m**^{1,4}.
- Assays from the **Majsaberget mineralized boulders** returned a **weighted average of 0.16% U₃O₈ and 0.08% Y**^{1,4}.
- A 1982 report by the Swedish Geological Survey reported **mineralized boulder assays ranging from 0.01 to 1.4% U₃O₈, 0.08 to 0.69% Y, 0.05 to 0.22% Mo, and 0.02 to 0.31% Th**^{2,3,4}.
- The **Majsaberget Occurrence** was historically **estimated to host at least 12,998,896 lbs U₃O₈ grading 0.07 to 0.14% U₃O₈**.
- The Nianfors Property has never seen systematic modern exploration.

Refer to the resources notes for each estimate on slide 25. The mineral resource estimate contained on this slide is considered to be a "historical estimate" under NI 43-101 and a qualified person has not done sufficient work to classify the historical estimate as a current mineral resource and District is not treating the historical estimate as a current mineral resource.



1. Svensson, S., 1981: Uranium Prospecting in Norrland. Uranrapport 1981-8, Sveriges Geologiska Undersökning, BRAP 81083, p. 67.

2. Forsberg, L.-O., 1982: Uranium Prospecting in Norrland. Uranrapport 1982-12, Sveriges Geologiska Undersökning, BRAP 82042, p. 33.


3. The potential quantity and grade of the Majsaberget occurrence is conceptual in nature and there has been insufficient exploration to define a mineral resource and it is uncertain if further exploration will result in the target being delineated as a mineral resource. There are no defined methods or parameters used in determining the quantity and grade of the exploration target estimate.

4. The Company is not treating the Nianfors Uranium Property as a mineral project material to the Company. District has not undertaken any independent investigation of the geochemical results nor has it independently analyzed the geochemical results in order to verify the results. District considers these geochemical results relevant as the Company is using this data as a guide to plan exploration programs. The Company's current and future exploration work includes verification of the historical data through drilling.

Ardnasvarre Uranium Property

- **Straddles the unconformity** between exposed Svecofennian basement rocks and overlying Caledonide sedimentary rocks where **targets include stratabound, unconformity- and intrusive-related uranium and REE mineralization.**
- Contains the **Labbas Uranium Zone** where drilling by the SGU in the 1970's and 1980's resulted in a **historical resource estimate of 86,478 tonnes at an average grade 0.12% U₃O₈ containing 228,780 lbs of U₃O₈** that remains **open in all directions.**
- **A single hole (LAB08-001) drilled in 2008 by Continental Precious Minerals** returned **7.0m at 0.17% U₃O₈ from 50.0 to 57.0m**, including a higher grade interval of **0.8 m at 0.94% U₃O₈ from 53.5 to 54.3 m¹.**
- **High grade uranium boulders are located within and down-ice** to the southeast from the Ardnasvarre Property.
- The Ardnasvarre Property has never seen systematic modern exploration.

Refer to the resources notes for each estimate on slide 25. The mineral resource estimate contained on this slide is considered to be a "historical estimate" under NI 43-101 and a qualified person has not done sufficient work to classify the historical estimate as a current mineral resource and District is not treating the historical estimate as a current mineral resource.




1. The drill results can be found in the Geological Survey of Sweden (SGU) database: <https://www.sgu.se/en/products/geological-data/>. Drill results have been converted from U to U3O8 (U3O8=U*1.1792).

2. The Company is not treating the Ardnasvarre Uranium Property as a mineral project material to the Company. District has not undertaken any independent investigation of the drill results nor has it independently analyzed the drill results in order to verify the results. District considers these drill results relevant as the Company is using this data as a guide to plan exploration programs. The Company's current and future exploration work includes verification of the historical data through drilling.

Alum Shale Properties

- The Tåsjö nr 101 to 108, Malgomaj nr 1001 to 1003, and Österkålen nr 101 mineral licenses are **highly prospective for Alum Shale energy metals deposit targets**¹.
- **In the Tåsjö area**, Cambro-Ordovician sedimentary units overlie the Proterozoic intrusive basement, which is a **similar geological setting that hosts the Viken Energy Metals Deposit**.
- The **Tåsjö Field** was historically estimated to host **75 to 150 million tonnes grading 0.03 to 0.07% U₃O₈, 0.11 to 0.24% REE, and 3.75 to 7.5% phosphate (P₂O₅)**^{2,3,4}.
- The **Tåsjö area hosts** one of the **thickest units of Alum Shale in Sweden** that can reach **up to 400 meters in thickness** due to folding and overthrusting³.
- Mineral License Tåsjö nr 104 contains a **historical drill hole KYR-79001 that encountered Alum Shale from surface to the end of hole depth at 258.3 m**⁵. It was logged several years after drilling and the **drill core was not assayed**.



1. The Company is not treating the Alum Shale Properties as a mineral project material to the Company. District has not undertaken any independent investigation of the drill results nor has it independently analyzed the drill results in order to verify the results. District considers these drill results relevant as the Company is using this data as a guide to plan exploration programs. The Company's current and future exploration work includes verification of the historical data through drilling.

2. See Armands, G., 1964: Geologiska undersökningar i Tåsjö-området under 1963 och 1964 (in Swedish); AB Atomenergi KOP-102.

3. See Browne, A., 2008: Report on Current Resource Estimates for Klappbacken and Duobblon Uranium Properties, and Review of Tåsjö Uranium Project, Northern Sweden. Prepared for Mawson Resources Limited by Andrew Browne of GeoSynthesis Pty Ltd. Report number 080204. Report date: 22 February 2008.


4. The potential quantity and grade of the Tåsjö Field is conceptual in nature and there has been insufficient exploration to define a mineral resource and it is uncertain if further exploration will result in the target being delineated as a mineral resource. The quantity and grade of the historical exploration target. There are no defined methods or parameters used in determining the quantity and grade of the exploration target estimate.

5. The drill results can be found in the Geological Survey of Sweden (SGU) database: <https://www.sgu.se/en/products/geological-data/>.



Polymetallic Properties (Zn-Pb-Ag-Cu-Au)

A World Class Polymetallic Mining District: Bergslagen, Sweden



Falun Mine¹:

- 28.1 Mt Production at 2-4% Cu, 2-4 g/t Au, 4% Zn, 1.5% Pb, 13-25 g/t Ag

Garpenberg Mine²:

- 70.0 Mt Production at 126 g/t Ag, 4.5% Zn, 1.9% Pb, 0.3 g/t Au
- 105.7 MtP&P: 88 g/t Ag, 2.5% Zn, 1.2% Pb, 0.3 g/t Au, 0.04% Cu
- 18.6 MtM&I: 63 g/t Ag, 2.8% Zn, 1.3% Pb, 0.4 g/t Au, 0.05% Cu
- 105.4 MtInferred: 58 g/t Ag, 2.4% Zn, 1.1% Pb, 0.3 g/t Au, 0.05% Cu

Zinkgruvan Mine³:

- 19.3 Mt Production at 9.9% Zn, 4.0% Pb, 84 g/t Ag
- 11.9 Mt P&P at 7.9% Zn, 2.9% Pb, 63 g/t Ag
- 15.7 Mt M&I at 9.3% Zn, 3.7% Pb, 84 g/t Ag
- 9.4 Mt Inferred at 8.5% Zn, 3.5% Pb, 81 g/t Ag

Note: The mines within the Bergslagen District provide geologic context for District's properties, but are not necessarily indicative that the properties host similar grades or tonnages of mineralization.

1. See Allen, R.L., Lundström, I., Ripa, M., and Christofferson, H., 1996, Facies analysis of a 1.9 Ga, continental margin, back-arc, felsic caldera province with diverse Zn-Pb-Ag-(Cu-Au) sulfide and Fe oxide deposits, Bergslagen region, Sweden: Economic Geology, v. 91, p. 979-1008.


2. See <https://www.boliden.com/490a73/globalassets/operations/exploration/mineral-resources-and-mineral-reserves-pdf/2023/resources-and-reserves-garpenberg-2023-12-31-1.pdf>

3. See Daffern, T., Ellis, R., King, P., Richardson, S., Glucksman, E., Beveridge, A., 2017, NI 43-101 Technical Report for the Zinkgruvan Mine, Sweden, Wardell Armstrong International.

Tomtebo Property


- Tomtebo covers an area of **5,144 ha, ~2.5 hour drive from Stockholm.**
- Boliden's Garpenberg Mine is located 25 km to the SE, and the historic Falun Mine is located 25 km to the NW.
- Tomtebo contains **similar host rocks, structure, alteration, and mineralization** styles as Garpenberg & Falun.
- Mineralization at the historic Tomtebo and Lövås Mines appears to be open in all directions.
- The Tomtebo Property has never seen systematic **modern exploration.**

1. See Ed. Eilu, Pasi, 2012, Geological Survey of Finland, Special Paper 53, Metallogenic areas in Sweden.
 2. See Geological Survey of Sweden report grb_097, 1997.
 3. See Allen, R.L., Lundström, I., Ripa, M., and Christofferson, H., 1996, Facies analysis of a 1.9 Ga, continental margin, back-arc, felsic caldera province with diverse Zn-Pb-Ag-(Cu-Au) sulfide and Fe oxide deposits, Bergslagen region, Sweden: Economic Geology, v. 91, p. 979–1008.
 4. <https://www.boliden.com/490349/globalassets/operations/exploration/mineral-resources-and-mineral-reserves-pdf/2024/resources-and-reserves-garpenberg-2024-12-31.pdf>




Note: The nearby mines provide geologic context for Tomtebo, but this is not necessarily indicative that the Property hosts similar grades or tonnages of mineralization.

Conceptual Long Section of Tomtebo Property



Plan View 2021-2024 Drilling at Steffenburgs Zone, Tomtebo Mine



- **TOM21-001** intersected **11.95 m at 7.2% Zn, 3.1% Pb, 46.9 g/t Ag, 0.1% Cu, 1.2 g/t Au** (62.0 to 73.95 m)¹.
- **TOM21-025** intersected **14.3 m at 9.5% Zn, 2.3% Pb, 40.0 g/t Ag, 0.2% Cu, 0.4 g/t Au** (210.0 to 224.3 m) drilled **118 m beneath TOM21-001**².
- **TOM21-028** intersected **30.05 m at 7.0% Zn, 1.9% Pb, 25 g/t Ag, 0.2% Cu, 0.4 g/t Au** (148.35 to 178.40 m) drilled between TOM21-001 and -025³.
- **TOM22-038** intersected **25.5 m at 2.4% Zn, 2.1% Pb, 65 g/t Ag, 0.2% Cu, 0.6 g/t Au** (249.0 to 274.5 m) including **0.4 m at 384 g/t Au and 855 g/t Ag** (273.7 to 274.1 m) that was capped at 10 g/t Au. Hole TOM22-038 was a 40 m step out below hole TOM21-025⁴.
- **TOM24-042** intersected **29.25 m at 1.0% Cu, 0.7 g/t Au, 1.6% Zn, 0.8% Pb, 30 g/t Ag** (299.0 to 328.25 m)⁵.
- **The Steffenburgs zone contains significant polymetallic mineralized horizons, which are open in all directions.**

1. See District's news release dated May 25, 2021: <https://www.districtmetals.com/news/2021/district-intersects-82-m-at-103-zinc-45-lead-662-gt-silver-17-gt-gold-and-008-copper-at-tomtebo-property>.


2. See District's news release dated November 22, 2021: <https://www.districtmetals.com/news/2021/district-intersects-143-m-at-142-znq-on-the-tomtebo-property>.

3. See District's news release dated November 1, 2021: <https://www.districtmetals.com/news/2021/district-intersects-304-m-of-continuous-intense-sulphide-mineralization-at-the-tomtebo-property>.

4. See District's news release dated August 17, 2022: <https://www.districtmetals.com/news/2022/district-intersects-255-m-at-82-znq-on-the-tomtebo-property>.

5. See District's news release dated July 29, 2024: <https://www.districtmetals.com/news/district-intersects-292-m-at-74-znq-or-29-cueq-on-the-tomtebo-property>.


Oblique Section of 2021-2024 Drilling at Steffenburgs Zone



- TOM24-042 intersected **copper-rich semi-massive to massive sulphide mineralization over approximately 17.0 m (309.0 to 326.0 m)¹.**
- TOM24-042 intersected **29.25 m at 1.0% Cu, 0.7 g/t Au 1.6% Zn, 0.8% Pb, 30 g/t Ag** (299.0 to 328.25 m) as an approximate 100 m step out below hole (2) TOM22-038 which returned **25.5 m at 9.5% Zn, 2.3% Pb, 40.0 g/t Ag, 0.2% Cu, 0.4 g/t Au** (249.0 to 274.5 m)¹.
- The **29.25 m** (299.0 to 328.25 m) intercept in hole **TOM24-042** included¹:
 - 19.75 m at 1.3%Cu,1.0g/tAu,2.1% Zn, 1.1% Pb, 41 g/t Ag** (306.0 to 325.75 m)
 - 13.0 m at 1.4%Cu,1.1g/tAu2.5% Zn, 1.5% Pb, 48 g/t Ag** (309.0 to 322.0 m)
 - 2.0 m at 6.1% Zn, 6.5% Pb, 63 g/t Ag, 0.8% Cu, 0.22 g/t Au** (309.0 to 311.0 m)
- Polymetallic mineralization at the Steffenburgs zone remains wide open at depth and partially along strike.**

1. See District's news release dated July 29, 2024: <https://www.districtmetals.com/news/district-intersects-292-m-at-74-zneq-or-29-cueq-on-the-tomtebo-property>

Milestones & Upcoming Catalysts



Investment Highlights

- Strong Team with Experience in Uranium and Base Metals Discovery and Development
- Focused in Sweden - a Top Mining Jurisdiction
- Assembled Portfolio Focused on Uranium Polymetallic Properties
- Additional Base Metals Polymetallic Projects
- Strong and Supportive Shareholder Base



District Metals

We Are Sweden's Energy Metals Company





Thank You!



907 - 1030 West Georgia Street, Vancouver, BC, V6E 2Y3

Phone: (604) 288-4430 | info@districtmetals.com

districtmetals.com

Historical Estimates



Sågtjärn Uranium Property

- See report titled "Revised Introductory Technical Report on Eight Uranium Properties in Northern Sweden" prepared for Continental Precious Metals Inc., revised and restated September 20, 2005 with an effective date of July 15, 2005 (the "Sågtjärn Report").
- The Company views the historical estimate included in the Sågtjärn Report to be relevant and reliable.
- Based upon 47 drill holes, 50-100 m drill space fencing, 20-100 m spacing along drill fence. Partially drilled on a wide grid and is considered under-drilled. The authors of the Sågtjärn Report utilized a standardized cut-off of 300 ppm wherever possible to facilitate length weighted borehole grade and historical reserve comparisons.
- Sågtjärn Report resources are based on Geological Survey of Sweden ("SGU") documentation and the auditing by the authors of the Sågtjärn Report of their 'reserve' calculation methodology, certain of the historical SGU estimates should be classified as (then) CIM-style inferred resources on the basis that these estimates are relevant and appear reliable.
- Both XRF analysis and pulse gamma logging were used in grade determinations, with the pulse gamma logging giving substantially higher volumes and grades. Despite this bias, the authors of the Sågtjärn Report (Forsberg and Kullman, 1981) believed that the pulse gamma logging results were more representative as they measured a greater rock volume.
- Forsberg and Kullman, 1981, calculated a wide variety of historical 'reserve' estimates, using a range of cut-off values (200 to 600 ppm in 100 ppm steps), analytical methods (XRF and PGL) and blocking techniques (profiles and triangles). is based on their profile method (for comparability with other deposit estimates), using a minimum 2 m 'width' and 300 ppm cut-off based on XRF analysis.
- It should be noted, however, that the bulk of the historical estimates, which serve as the basis for the Sågtjärn Report historical estimate, are based on volume weighted grades which do not take the log normal nature of the mineralization's grade populations into account and that, due to this non-recognition of log normality, these historical grades are likely to be slightly overstated. It is impossible to judge the degree of grade overstatement without having carried out actual estimates, but it is considered unlikely (but not impossible) to exceed 10 % overall. This type of grade over reporting is a common problem with older, traditional reserve estimates and it was/is often accounted for by cutting high values.
- Mineral resources under the Sågtjärn Report were classified under previous definition standards and do not match the current categories under NI 43-101.
- The Company is not aware of any more recent estimates or data available to the Company on the Sågtjärn Uranium Property.
- The Company would need to conduct an exploration program, including twinning of historical drill holes in order to verify the Sågtjärn Uranium Property historical estimate as a current mineral resource.
- The mineral resource estimates is considered to be a "historical estimate" under NI 43-101 and a qualified person has not done sufficient work to classify the historical estimate as a current mineral resource and District is not treating the historical estimate as a current mineral resource.

Nianfors Uranium Property

- See Forsberg, L-O., Kullman, F., Lofroth, B., 1985: Description of SKBS Mineral Reserves. Norrland. Uranrapport 1985-3, Sveriges Geologiska AB, IRAP 85026, p. 17 (the "Majsaberget Occurrence Report").
- The Company views the historical estimate included in the Majsaberget Occurrence Report to be relevant and reliable.
- Total, probable and presumed tonnage of the area: 5,199,558 to 10,399,116 lbs U3O8 (2,358.48 to 4,716.96 tonnes U3O8). In total for the entire area, the potential is estimated to be at least 12,998,896 lbs U3O8 (5,896.2 tonnes U3O8). Mineralization of two types occur in the area. Partly neosome-pegmatite mineralization and partly an impregnation mineralization in gneiss granite. The average content of the former type is estimated to be about 0.06-0.08% U and of the latter type about 0.14% U.
- Mineral resources under the Majsaberget Occurrence Report were classified under previous definition standards and do not match the current categories under NI 43-101.
- The Company is not aware of any more recent estimates or data available to the Company on the Nianfors Uranium Property.
- The Company would need to conduct an exploration program, including twinning of historical drill holes in order to verify the Nianfors Uranium Property historical estimate as a current mineral resource.
- The mineral resource estimates is considered to be a "historical estimate" under NI 43-101 and a qualified person has not done sufficient work to classify the historical estimate as a current mineral resource and District is not treating the historical estimate as a current mineral resource.

Ardnasvarre Uranium Property

- See Svensson, S., 1981: Uranium Prospecting in Norrland. Uranrapport 1981-8, Sveriges Geologiska Undersökning, BRAP 81083, p. 67 (the "Labbas Uranium Zone Report").
- The Company views the historical estimate included in the Labbas Uranium Zone Report to be relevant and reliable.
- The historical estimate calculation using the polygon method has been done with respect to all drill holes. The calculation gives 88 tonne U at a grade of 0.10% U and the thickness 3.4 m or 4 m horizontally (86,478 tonnes at an average grade 0.12% U3O8 containing 228,780 lbs of U3O8).
- An unsuccessful attempt was made to excavate the presumed subglacial outcrop of the mineralisation discovered SW from the "main body". The trenching was done recently and there were a lot of difficulties with water in the trenches. The detailed magnetometer measurement is finished and the result plotted.
- Mineral resources under the Labbas Uranium Zone Report were classified under previous definition standards and do not match the current categories under NI 43-101.
- The Company is not aware of any more recent estimates or data available to the Company on the Ardnasvarre Uranium Property.
- The Company would need to conduct an exploration program, including twinning of historical drill holes in order to verify the Ardnasvarre Uranium Property historical estimate as a current mineral resource.
- The mineral resource estimates is considered to be a "historical estimate" under NI 43-101 and a qualified person has not done sufficient work to classify the historical estimate as a current mineral resource and District is not treating the historical estimate as a current mineral resource.